



Product Description ELKALUB GLS 367/N1 Special Grease For The Food Industry

GLS 367/N1 is a partly synthetic lubricating grease for application in the food industry. The product is extremely adhesive and is suitable for slow-turning antifriction bearings, for slip motions and for the lubrication of chains, valves, spindles, sterilizers etc.

GLS 367/N1 is resistant to water (up to +100° C) as well as to acids and alkalis.

GLS 367/N1 is suitable for temperatures from -10° C up to +130° C (short-time up to 180° C). GLS 367/N1 (without indication of NLGI class) possesses the USDA H 1 approval (permitted for incidental food contact).

Technical data:

Characterization:	KP1K-10	DIN 51 502
Chemical composition:	Paraffin oil, synthetic oil, inorganic thickener, additives	
Application	Special grease for food industries for slow turning bearings, for valves, sterilizers, spindles etc.	
Appearance	brown, transparent grease	
Temperature range	c. -10° C - + 130° C (short-time +180° C) (standard values; consultation necessary)	
NLGI consistency:	1	
Water resistance	resistant	
Base oil viscosity:	165 mm ² /s	DIN 51 562

These data are issued in good faith. We reserve the right to change and or supplement them.

72189 Vöhringen, 18.02.99/AP

Revision: 07.06.2004/AP